ICEsonic SMART IND



SMART IND is an industrial duty single hose dry ice blasting machine, designed to handle even the most demanding applications with ease. With increased air flow and dry ice feed rate compared to other machines in the ICEsonic SMART line, SMART IND delivers exceptional performance. Built to last, SMART IND is the strongest machine in the ICEsonic SMART line, ready to take on any cleaning challenge you throw its way. Its robust stainless steel body and anodized aluminum dashboard are built to withstand even the toughest environments. SMART IND uses a Siemens PLC to offer easy and precise control of dry ice feed and pressure, allowing for accurate and efficient cleaning of any surface. Whether you need to remove coatings, clean machinery, or surface preparation, SMART IND delivers superior results every time.

Specifications

| Туре | Single Hose Dry Ice Blaster |
|------------------------------|-----------------------------------|
| Touch Screen | No |
| Automation Ready | Optional |
| Air Inlet | 3/4" Universal Claw Coupling |
| Housing/Frame | Stainless Steel |
| Blasting Pressure Regulator | Included |
| Compressed Air Filter | Included |
| Compressed Air Pressure | Up To 1200 kPa (12 bar) (175 psi) |
| Optimal Compressed Airflow | 3.5 m3/min (124 cfm) or more |
| Mid-Range Compressed Airflow | 2.5-3.5 m3/min (88-124 cfm) |
| Low-End Compressed Airflow | 2.0-2.5 m3/min (71-88 cfm) |
| Feed Rate | Up To 90 kg/h (198 lbs/h) |
| Hopper Capacity | 15 kg (33 lbs) |
| Wheel Size | 125mm (5") |





| Power Supply | 110/220/240V AC (50/60 Hz) |
|-----------------------|----------------------------|
| Max Power Consumption | 0.76 kW |
| Weight | 67 kg (148 lbs) |
| Dimensions | 370x650x1150mm (15x26x45") |
| Shipping Weight | 85 kg (187 lbs) |
| Shipping Dimensions | 400x800x1020mm (16x31x40") |





Package Includes







Long Aluminium Ø8mm Nozzle ML.SM80 Industrial Applicator 77S.071 **5m (16ft) Blasting Hose** 775.08



