

# ICEsonic SMART IND



SMART IND is an industrial duty single hose dry ice blasting machine, designed to handle even the most demanding applications with ease. With increased air flow and dry ice feed rate compared to other machines in the ICEsonic SMART line, SMART IND delivers exceptional performance. Built to last, SMART IND is the strongest machine in the ICEsonic SMART line, ready to take on any cleaning challenge you throw its way. Its robust stainless steel body and anodized aluminum dashboard are built to withstand even the toughest environments. SMART IND offers easy and precise control of dry ice feed and pressure, allowing for accurate and efficient cleaning of any surface. Whether you need to remove coatings, clean machinery, or surface preparation, SMART IND delivers superior results every time.

## Specifications

<b>Type</b>	Single Hose Dry Ice Blaster
<b>Touch Screen</b>	No
<b>Automation Ready</b>	No
<b>Air Inlet</b>	3/4" Universal Claw Coupling
<b>Housing/Frame</b>	Stainless Steel
<b>Blasting Pressure Regulator</b>	Included
<b>Compressed Air Filter</b>	Included
<b>Blasting Pressure Range</b>	200-1200 kPa (2-12 bar) (30-175 psi)
<b>Compressed Air Supply</b>	250-1200 kPa (2.5-12 bar) (37-175 psi)
<b>Nozzle Air Consumption</b>	0.3-4.0 m <sup>3</sup> /min (11-141 cfm) at 550 kPa (5.5 bar) (80 psi)
<b>Feed Rate</b>	Up To 90 kg/h (198 lbs/h)
<b>Hopper Capacity</b>	15 kg (33 lbs)
<b>Wheel Size</b>	125mm (5")
<b>Power Supply</b>	110/220/240V AC (50/60 Hz)
<b>Weight</b>	67 kg (148 lbs)



ISO 9001  
BUREAU VERITAS  
Certification



ISO 14001  
BUREAU VERITAS  
Certification



<b>Dimensions</b>	370x650x1150mm (15x26x45")
<b>Shipping Weight</b>	85 kg (187 lbs)
<b>Shipping Dimensions</b>	600x800x1020mm (24x31x40")



ISO 9001  
BUREAU VERITAS  
Certification



ISO 14001  
BUREAU VERITAS  
Certification



# Package Includes



**Long Aluminium Ø8mm Nozzle**  
ML.SM80



**Industrial Applicator**  
77S.071



**5m (16ft) Blasting Hose**  
77S.08