

# ICEsonic SMART IND



SMART IND is an industrial duty single hose dry ice blasting machine, designed to handle even the most demanding applications with ease. With increased air flow and dry ice feed rate compared to other machines in the ICEsonic SMART line, SMART IND delivers exceptional performance. Built to last, SMART IND is the strongest machine in the ICEsonic SMART line, ready to take on any cleaning challenge you throw its way. Its robust stainless steel body and anodized aluminum dashboard are built to withstand even the toughest environments. SMART IND uses a Siemens PLC to offer easy and precise control of dry ice feed and pressure, allowing for accurate and efficient cleaning of any surface. Whether you need to remove coatings, clean machinery, or surface preparation, SMART IND delivers superior results every time.

## Specifications

Type	Single Hose Dry Ice Blaster
Touch Screen	No
Automation Ready	Optional
Air Inlet	3/4" Universal Claw Coupling
Housing/Frame	Stainless Steel
Blasting Pressure Regulator	Included
Compressed Air Filter	Included
Compressed Air Pressure	Up To 1200 kPa (12 bar) (175 psi)
Optimal Compressed Airflow	3.5 m3/min (124 cfm) or more
Mid-Range Compressed Airflow	2.5-3.5 m3/min (88-124 cfm)
Low-End Compressed Airflow	2.0-2.5 m3/min (71-88 cfm)
Feed Rate	Up To 90 kg/h (198 lbs/h)
Hopper Capacity	15 kg (33 lbs)
Wheel Size	125mm (5")



ISO 9001  
BUREAU VERITAS  
Certification



ISO 14001  
BUREAU VERITAS  
Certification



<b>Power Supply</b>	110/220/240V AC (50/60 Hz)
<b>Max Power Consumption</b>	0.76 kW
<b>Weight</b>	67 kg (148 lbs)
<b>Dimensions</b>	370x650x1150mm (15x26x45")
<b>Shipping Weight</b>	85 kg (187 lbs)
<b>Shipping Dimensions</b>	400x800x1020mm (16x31x40")



ISO 9001

BUREAU VERITAS  
Certification



ISO 14001

BUREAU VERITAS  
Certification



## Package Includes



**Long Aluminium Ø8mm Nozzle**  
ML.SM80



**Industrial Applicator**  
77S.071



**5m (16ft) Blasting Hose**  
77S.08