ICEsonic IS 77S Model



Meet the exceptional IS 77S single hose dry ice blasting machine, the ultimate cleaning solution for industrial and commercial settings. Equipped with an adjustable air and ice feed, this machine lets you fine-tune the pressure and flow rate to suit your specific cleaning needs, ensuring optimal results every time. With a large hopper that can hold a significant amount of dry ice, the IS 77S allows you to clean for longer periods without interruptions for refilling. The stainless steel body ensures durability and longevity, while the extremely sturdy frame and large inflatable wheels make it the perfect choice for frequent transport and outdoor use, even over rough terrain. The IS 77S also features an advanced actuator that breaks up any dry ice clumps that may form, ensuring a continuous and uninterrupted cleaning experience. The machine is easy to operate, easy to maintain, and built to last, while providing exceptional cleaning performance for years to come. Order yours today and experience the ultimate cleaning experience with the IS 77S.

Specifications

Туре	Single Hose Dry Ice Blaster
Touch Screen	No
Automation Ready	No
Air Inlet	1" Universal Claw Coupling
Housing/Frame	Stainless Steel
Blasting Pressure Regulator	Included
Compressed Air Filter	Included
Compressed Air Pressure	Up To 1600 kPa (16 bar) (233 psi)
Optimal Compressed Airflow	3.5 m3/min (124 cfm) or more
Mid-Range Compressed Airflow	2.5-3.5 m3/min (88-124 cfm)
Low-End Compressed Airflow	2.0-2.5 m3/min (71-88 cfm)
Feed Rate	Up To 90 kg/h (198 lbs/h)
Hopper Capacity	20 kg (44 lbs)





Wheel Size	250mm (10")
Power Supply	110/220/240V AC (50/60 Hz)
Max Power Consumption	0.76 kW
Weight	85 kg (187 lbs)
Dimensions	560x730x870mm (22x29x34")
Shipping Weight	100 kg (220 lbs)
Shipping Dimensions	600x800x1150mm (24x31x45")





Package Includes







Long Aluminium Ø6.5mm Nozzle Long Aluminium Ø8mm Nozzle Long Aluminium Ø10mm NozzleML.SM65 ML.SM80 ML.SHN.03







Industrial Applicator 775.071



5m (16ft) Blasting Hose 77S.08



