

ICEsonic IS 77S Model



Meet the exceptional IS 77S single hose dry ice blasting machine, the ultimate cleaning solution for industrial and commercial settings. Equipped with an adjustable air and ice feed, this machine lets you fine-tune the pressure and flow rate to suit your specific cleaning needs, ensuring optimal results every time. With a large hopper that can hold a significant amount of dry ice, the IS 77S allows you to clean for longer periods without interruptions for refilling. The stainless steel body ensures durability and longevity, while the extremely sturdy frame and large inflatable wheels make it the perfect choice for frequent transport and outdoor use, even over rough terrain. The IS 77S also features an advanced actuator that breaks up any dry ice clumps that may form, ensuring a continuous and uninterrupted cleaning experience. The machine is easy to operate, easy to maintain, and built to last, while providing exceptional cleaning performance for years to come. Order yours today and experience the ultimate cleaning experience with the IS 77S.

Specifications

| | |
|------------------------------|-----------------------------------|
| Type | Single Hose Dry Ice Blaster |
| Touch Screen | No |
| Automation Ready | No |
| Air Inlet | 1" Universal Claw Coupling |
| Housing/Frame | Stainless Steel |
| Blasting Pressure Regulator | Included |
| Compressed Air Filter | Included |
| Compressed Air Pressure | Up To 1600 kPa (16 bar) (233 psi) |
| Optimal Compressed Airflow | 3.5 m3/min (124 cfm) or more |
| Mid-Range Compressed Airflow | 2.5-3.5 m3/min (88-124 cfm) |
| Low-End Compressed Airflow | 2.0-2.5 m3/min (71-88 cfm) |
| Feed Rate | Up To 90 kg/h (198 lbs/h) |
| Hopper Capacity | 20 kg (44 lbs) |



ISO 9001
BUREAU VERITAS
Certification



ISO 14001
BUREAU VERITAS
Certification



| | |
|------------------------------|----------------------------|
| Wheel Size | 250mm (10") |
| Power Supply | 110/220/240V AC (50/60 Hz) |
| Max Power Consumption | 0.76 kW |
| Weight | 85 kg (187 lbs) |
| Dimensions | 560x730x870mm (22x29x34") |
| Shipping Weight | 100 kg (220 lbs) |
| Shipping Dimensions | 600x800x1150mm (24x31x45") |



ISO 9001

BUREAU VERITAS
Certification



ISO 14001

BUREAU VERITAS
Certification



Package Includes



Long Aluminium Ø6.5mm Nozzle

ML.SM65



Long Aluminium Ø8mm Nozzle

ML.SM80



Long Aluminium Ø10mm Nozzle

ML.SHN.03



Flat 25mm Swath Nozzle

ML.SHP.01



Industrial Applicator

77S.071



5m (16ft) Blasting Hose

77S.08