

ICEsonic IS 75S Model



Introducing the IS 75S single hose dry ice blasting machine, a powerful and reliable solution for all your cleaning needs. The IS 75S is a fully pneumatic unit, that features adjustable air and ice feed which gives you precise control over the blasting process. It also features a large hopper, which allows for extended cleaning sessions without the need for frequent refills. IS 75S has a stainless steel body and extremely sturdy frame provide a durable and robust construction that can withstand the demands of frequent use. Additionally, the large inflatable wheels make it easy to transport the machine, even over rough terrain. This machine is ideal for frequent transport and use outdoors, providing a reliable and convenient cleaning solution wherever it's needed. Being a fully pneumatic unit, the IS 75S only requires an air compressor to power it, making it perfect to combine with diesel-powered compressors for added convenience. This machine gives you the freedom to clean wherever you need to, without being limited by the electrical power grid. Choose the IS 75S for efficient and effective cleaning, no matter the task, no matter the place.

Specifications

| | |
|------------------------------|---|
| Type | Single Hose Dry Ice Blaster |
| Touch Screen | No |
| Automation Ready | No |
| Air Inlet | 1" Universal Claw Coupling |
| Housing/Frame | Stainless Steel |
| Blasting Pressure Regulator | Included |
| Compressed Air Filter | Included |
| Compressed Air Pressure | Up To 1600 kPa (16 bar) (233 psi) |
| Optimal Compressed Airflow | 3.5 m ³ /min (124 cfm) or more |
| Mid-Range Compressed Airflow | 2.5-3.5 m ³ /min (88-124 cfm) |
| Low-End Compressed Airflow | 2.0-2.5 m ³ /min (71-88 cfm) |

| | |
|----------------------------|----------------------------|
| Feed Rate | Up To 100 kg/h (220 lbs/h) |
| Hopper Capacity | 20 kg (44 lbs) |
| Wheel Size | 250mm (10") |
| Power Supply | Fully Pneumatic |
| Weight | 62 kg (137 lbs) |
| Dimensions | 575x740x890mm (23x29x35") |
| Shipping Weight | 60 kg (132 lbs) |
| Shipping Dimensions | 600x800x1150mm (24x31x45") |



ISO 9001

BUREAU VERITAS
Certification



ISO 14001

BUREAU VERITAS
Certification



Package Includes



Long Aluminium Ø6.5mm Nozzle

ML.SM65



Long Aluminium Ø8mm Nozzle

ML.SM80



Long Aluminium Ø10mm Nozzle

ML.SHN.03



Flat 25mm Swath Nozzle

ML.SHP.01



IS 75S Applicator

75S.071



5m (16ft) Blasting Hose

75S.08